

# EPDM RUBBER GRANULES

Manufactured in India with World's Best EPDM Polymer



**Non-Slip  
& Anti-skid**



**Prevents  
Fatigue**



**Soft Surface for  
Cushioning Effect**




**High Impact  
Absorption for  
Increased Safety**



**Sound  
Absorbent**



**Non-Toxic Material  
Making it safe  
for children**



**Resistant to Abrasion  
Causing Less Damage  
to the Flooring**



**UV & Weather  
Resistant for  
High Durability**



**Anti-Fungal &  
Anti-Bacterial**

## APPLICATION AREAS

- » School Play Area
- » Community Parks & Recreational Area
- » Sidewalk Near Swimming Pool Area
- » Children Play Area at Home and Garden
- » Fitness Center & Health Club
- » Sports Facilities
- » Racing Track
- » Jogging Track & Walkways
- » Hospital, Hotels and Ports
- » Terrace, Courtyard
- » Driveway and Garage



## EUROPEAN - USA ORIGIN OF MATERIAL


### PROPERTIES


| PROPERTY            | VALUE/ TOLERANCE         | UNIT                 | TEST METHOD |
|---------------------|--------------------------|----------------------|-------------|
| Density             | 1.6 ± 0.05               | [g/cm <sup>3</sup> ] | ASTM D 792  |
| Hardness            | 60 ± 5                   | [ ° Sh A]            | ASTM D 2240 |
| Tensile Strength    | >5                       | [ Mpa]               | ASTM D 412  |
| Elongation at break | >500%                    | [%]                  | ASTM D 412  |
| Bulk density        | (1 - 4.0 mm approx.) 670 | [g/dm <sup>3</sup> ] | ASTM D 6683 |
| Polymer content     | >22                      | [%]                  |             |
| UV Resistant        | 3 - 4                    | (Grey scale rating)  | ISO 105 B06 |
| Flammability        | HB                       |                      | UL 94       |

Standard Grain Size: 1.0 - 4.0mm (other on request) | Base Polymer: EPDM

## COLORSPACE EPDM GRANULES SURFACING

### Pour-in-Place Rubber Flooring





## STANDARD COLORS



## PREMIUM COLORS



## INSTALLATION PROCESS

**1** Base Preparation/  
primer coating



**2** Crumb Rubber/  
Cushion Layer



**3** Surface After  
Cushion




**4** ColorSpace  
EPDM Granules



# CERTIFICATES, CERTIFICATIONS & ASSOCIATIONS



Renewal of Recognition of In-house R&D Unit(s)



Light Resistance Test



Reach/ SVHC Test



Laboratory Analysis Report



Certificate of Quality Management System complying with the requirements of standard ISO 9001:2015



RoHS-2 Test



Antimicrobial & Antifungal Test



Certificate of Quality Management System complying with the requirements of standard ATF 16949:2016

## KEY PROJECTS



Omaxe City (Lucknow)



Godrej Properties (Gurugram)



Sethi Max (Noida)



Govt. School (Nirman Vihar, Delhi)



Tic Tac Toe Juhu (Mumbai)



M3M (Noida)



Hotel Marriot (Agra)



Oyster Water Park (Gurugram)



NDMC India Asean Park (New Delhi)



Govt. School NCT (Delhi)

## GROWTH PARTNERS



Manufactured and Marketed by:  
**ALP OVERSEAS PVT. LTD.**

Corporate Office: Plot No. 32, Sector-18 HUDA, Gurgaon, Haryana - 122015 (INDIA)

☎ +91-124-4731500    ✉ marketing@alpoverseas.com    🌐 www.alpoverseas.com